Silia PrepX Polymeric Functionalized SPE Cartridges & Well Plates





Silia*PrepX*™ Polymeric Functionalized SPE Cartridges & Well Plates

Advantages of Using Silia Prep X Polymeric SPE Cartridges From SiliCycle Over Competitive Products

- High quality products covering a broad spectrum of applications for a wide range of complexe matrices
- Exceptional lot-to-lot reproducibility
- · High recovery and yield
- Very good separation and flow characteristics
 (high loadability and great elution properties allowing low solvent consumption and economical analysis)
- No contamination from the matrix (Clean extract reducing the ionic suppression and increasing the selectivity for LC-MS/MS applications)



Silia Prep X Polymeric Phases

SiliCycle offers a complete familly of polymeric phases designed for purification treatments. Here is a list of the Silia*PrepX* polymeric phases including description, typical applications, properties and cross reference with competitive product brands.


Silia <i>PrepX</i> Po	lymeric Phases			
Silia <i>PrepX</i> Phases	Description	Typical Applications	Properties	Competitive Brands
Silia <i>PrepX</i> HLB PN: P0002	The SiliaPrepX HLB is a wettable copolymer presenting a Hydrophilic-Lipophilic Balance (HLB) permitting a strong retention for neutral, acidic and basic compounds and a high stability in organic solvents.	Drugs & metabolites in biological fluids API from tablets, creams, in waste water & drinking water Environmental analysis: trace of PAHs, pesticides, herbicides, phenols & PCB in water Antibiotics and pesticides in food & beverage	Particle size: 40 µm Pore size: 110 Å Surface area: 850 m²/g pH stability: 0 to 14	Waters Oasis® HLB, Phenomenex Strata™-X, Agilent Bond Elut Plexa, Agilent Nexus, Biotage Evolute® ABN
Silia <i>PrepX</i> DVB PN: P0001	The SiliaPrepX DVB is a polystyrene- divinylbenzene copolymer presenting a high hydrophobicity used as a reversed-phase for the extraction of neutral, acidic and basic compounds in viscous matrices.	*Drugs & metabolites in biological fluids *API from tablets, creams, water & waste drinking water *Environmental analysis: trace of PAHs, pesticides, herbicides, phenols & PCB in water	Particle size: 85 µm Pore size: 60 Å Surface area: 950 m²/g pH stability: 0 to 14	Waters Oasis® HLB, Phenomenex Strata™-X, Agilent Bond Elut Plexa, Agilent SimpliQ DVB, Biotage Evolute® ABN
Silia <i>PrepX</i> SCX PN: P0005	The SiliaPrepX SCX is a polystyrene- divinylbenzene copolymer functionalized by a strong cation exchanger presenting a high selectivity for bases (pK _a 2 - 10). Highly stable in organic solvents.	Basic drugs from biological fluids & tissues Pesticides, herbicides, fongicides & melamine from food & beverage	Particle size: 85 µm Pore size: 60 Å Surface area: 800 m²/g pH stability: 0 to 14 Ionic capacity: 0.85 meq/g	Waters Oasis® MCX, Phenomenex Strata™-X-C, Agilent Bond Elut Plexa PCX Agilent SimpliQ SCX, Biotage Evolute® CX
Silia <i>PrepX</i> SAX PN: P0010	The SiliaPrepX SAX is a polystyrene-divinylbenzene copolymer functionalized by a strong anion exchanger presenting a high selectivity for acids (pK _a 2 - 8). Highly stable in organic solvents.	Acidic compounds & metabolites from biological fluids & tissues Food additives & contaminants Phenolic acids Acidic herbicides	Particle size: 85 µm Pore size: 60 Å Surface area: 900 m²/g pH stability: 1 to 14 Ionic capacity: 0.25 meq/g	Waters Oasis® MAX, Agilent SimpliQ SAX, Biotage Evolute® AX
Silia <i>PrepX</i> WCX PN: P0015	The SiliaPrepX WCX is a polystyrene- divinylbenzene copolymer functionalized by a weak cation exchanger used to catch and release strong basic compounds (pK _a >10). Highly stable in organic solvents.	•Strong basic compounds from biological fluids & tissues •Streptomycin from food	Particle size: 85 µm Pore size: 60 Å Surface area: 800 m²/g pH stability: 0 to 14 Ionic capacity: 0.70 meq/g	Waters Oasis® WCX, Phenomenex Strata™-X-CW Agilent SimpliQ WCX, Biotage Evolute® WCX
Silia <i>PrepX</i> WAX PN: P0020	The SiliaPrepX WAX is a polystyrene-divinylbenzene copolymer functionalized by a weak anion exchanger used to catch and release strong acidic compounds (pK _a <2). Highly stable in organic solvents.	Strong acidic compounds & metabolites from biological fluids & tissues Sulfonates & perfluorinated surfactants	Particle size: 85 µm Pore size: 60 Å Surface area: 800 m²/g pH stability: 1 to 14 Ionic capacity: 0.50 meq/g	Waters Oasis® WAX, Phenomenex Strata™-X-AW Agilent SimpliQ WAX, Biotage Evolute® WAX

Determination of the Optimal Silia *PrepX* Polymeric Phase by a Simple & Logical Method

Follow the simple and logical steps outlined in the flow chart to achieve high recovery, clean extract and determine the optimal Silia*PrepX* polymeric phase:

- Determine the classification of the analyte (neutral, acidic or basic compound)
- Determine the pK of the analyte
- Select the SiliaPrepX phase
- · Apply the indicated treatment
- Determine the SPE recovery by LC analysis





 * Polar compounds as organic acids and bases can also be eluted after the Wash/Elution 1.

96W-P0010-AA

96W-P0015-AA

96W-P0020-AA

Ordering Information

96W-P0002-AA

2 mL/30 mg

Formats	Qty/Box	ic Formats Silia <i>PrepX</i> HLB	Silia <i>PrepX</i> DVB	Silia <i>PrepX</i> SCX	Silia <i>PrepX</i> SAX	Silia <i>PrepX</i> WCX	Silia <i>PrepX</i> WAX
Silia <i>PrepX</i> SPE	Cartridges						
1 mL/30 mg	100	SPE-P0002-01AA	SPE-P0001-01AA	SPE-P0005-01AA	SPE-P0010-01AA	SPE-P0015-01AA	SPE-P0020-01AA
3 mL/60 mg	50	SPE-P0002-03BB	SPE-P0001-03BB	SPE-P0005-03BB	SPE-P0010-03BB	SPE-P0015-03BB	SPE-P0020-03BE
6 mL/100 mg	30	SPE-P0002-06C	SPE-P0001-06C	SPE-P0005-06C	SPE-P0010-06C	SPE-P0015-06C	SPE-P0020-06C
6 mL/200 mg	30	SPE-P0002-06G	SPE-P0001-06G	SPE-P0005-06G	SPE-P0010-06G	SPE-P0015-06G	SPE-P0020-06G
6 mL/500 mg	30	SPE-P0002-06P	SPE-P0001-06P	SPE-P0005-06P	SPE-P0010-06P	SPE-P0015-06P	SPE-P0020-06P
Custom formats	available o	n request		•			•
Silia <i>PrepX</i> 96-V	Vell Plates						
2 mL/10 mg	1	96W-P0002-1A	96W-P0001-1A	96W-P0005-1A	96W-P0010-1A	96W-P0015-1A	96W-P0020-1A

96W-P0005-AA

96W-P0001-AA

TEL.: 1 418 874.0054 FAX: 1 418 874.0355 TOLL-FREE: 1 877.SILICYCLE (NORTH AMERICA ONLY) INFO@SILICYCLE.COM SILICYCLE.COM



As a recognized industry leader in the development, manufacturing and commercialization of innovative silica gel products, and with multi-ton manufacturing capability, SiliCycle® is your partner of choice for all your metal removal, catalysis, synthesis, and purification requirements.

SiliaMetS®

Metal Scavengers

· No leaching: no

API contamination

· High selectivity:

efficient for a wide

can be used in any

solvents (pH 2 to 12)

· Fast kinetic even at

room temperature

Easily scalable

• Thermally and

· Ease of use and

flexible formats

(multi-ton scale)

Silia*Plate*™

TLC Plates

mechanically stable

· Cost efficient: low cost per gram of metal scavenged • Available in large quantities

total recovery of the API

range of metal catalysts

· Solvent compatibility:

• Very good metal affinity:

Silia*Cat*®





· Wide range of organic coupling and hydrogenation reactions (Suzuki, Sonogashira, Heck and Stille)

• SiliaCat silica-supported catalysts for cleaner products and cleaner waste streams

· Ideal for batch or flowthrough applications

> · Cost efficient and highly stable

· Reusable and leach proof

• Available in sizes ranging from grams to multikilograms quantities

SiliaBond® C18

Chromatographic Phase



· Unmatched quality and performance

· Very highly hydrophobic C18 phase

> · A homogeneous functionalized layer

· A unique grafting method ensuring reproducible results

 An unprecedented endcapping efficiency

• Incomparable lot-to-lot reproducibility

> • The quality of a monofunctional C18

· Available in large quantities (multi-ton scale)

Silia Bond®

Functionalized Silica Gels



· No leaching (chemical stability)

· Selective nucleophile and electrophile scavengers

· High resolution chromatographic phases

• Supported reagents for organic synthesis

• Thermally stable and microwave compatible

> · Available in large quantities (multi-ton scale)

SiliaChrom® **HPLC Columns**



• Broad pH range (0,8-12,0)

· High surface coverage

• Wide variety of chemistries available

• Excellent column effiency

• Long column lifetime

Low bleed

Silia Flash®



preparative TLC plates Different sizes and choice of backings

· Analytical and

· Normal, reversed and specialty phases Irregular Silica Gels



• High purity irregular Gel

• Tight particle size distribution

· Very low level of fines

• Neutral pH, low metal content, and controlled water level content

Lot-to-lot reproducibility





 High resolution & reproducibility

• Ultra high performance cartridges available (SiliaSep HP)

> • Compatible with all commercial systems

• Reversed and specialty phases available

Silia Sphere™

Spherical Silica Gels



· Very high purity & tight particle size distribution

· Low metal content

· High mechanical stability

• Wide choice of phases available (normal, reversed & specialty)

Silia*Prep*" Solid Phase Extraction



• Silia*PrepX*™ polymeric SPE (HLB, DVB, SCX, SAX, WCX & WAX)

> · Wide choice of SPE cartridge formats, 96-well plates

· Normal, reversed. fluorinated, ion exchange, and mixed-mode phases

Printed in Quebec, Canada, © SiliCycle Inc.

